For More Information, or to Order:





Color imageCLASS MF8580(dw/MF8280(w

Revolutionizing Today's Workspace

Color Laser Multifunction Printers PRINT | COPY | SCAN | FAX

- Wireless Connectivity lets you print from almost anywhere in your home or office
- Print on the go with Canon Mobile Printing,*
 Apple® AirPrint™, and Google Cloud Print™
- Easily access the scan, eco-copy, and secure print (MF8580Cdw only) functions right from the control panel with the Simple Solution Keys
- Seamlessly navigate through all the features with the 7-line color LCD display
- Print/Copy in both color and black and white at blazing speeds:
 Up to 21 ppm** (MF8580Cdw) and Up to 14 ppm** (MF8280Cw)
- Duplex Versatility allows two-sided printing, copying, scanning, and PC faxing (MF8580Cdw only)
- Send scanned documents and forward received faxes to a recipient through e-mail or file server (MF8580Cdw only)
- Energy Saver mode uses only 2W of energy
- Single-Cartridge System for easy supply replenishment















Advanced Technologies for your home and office



Print Documents On the Go

Print a variety of file types, Web pages, and images on the go with the **Canon Mobile Printing** app.*



Wherever you are, print from your smartphone or computer using **Google Cloud Print** enabled apps.



Apple AirPrint allows you to print documents, e-mails, Web pages, and photos to your compatible imageCLASS devices from your iPhone®, iPad®, or iPod touch®.

Department ID Management

The Color imageCLASS MF8580Cdw and MF8280Cw feature password-protected Department ID Management.

Device usage and color access can be monitored and controlled, which can help to reduce costs. With this feature, up to 300 IDs can be monitored.



Environmentally Conscious

Help reduce your power consumption with Canon's efficient Energy Saving Mode. The MF8000 Series uses just two watts of energy during Energy Saving mode and meets ENERGY STAR® Guidelines, helping you save money on energy costs.





Secure Print

The Color imageCLASS MF8580Cdw features Secure Print to help protect the privacy of your printed documents. To help ensure that your documents end up in the right hands, follow the simple steps below:

- 1. Enter code on PC.
- 2. Select the one-touch "Secure Print" button on the device.
- 3 Enter the code on the MF8580Cdw.
- 4. Pick up the secure print.



- *Requires Canon Mobile Printing app available free on the App store. Compatible with iPhone 5, iPhone 4S, iPhone 4, iPad mini, iPad 4, the new iPad, iPad 2, and the original iPad running OS 6.0.1 6.1.2.
- ** Print speed is based on internal testing. Print speed may vary depending on the number of copies selected, as well as on the settings for size, type, and orientation of paper.

Generation Green

The MF8000 Series is part of Canon's Generation Green Program, which highlights the company's commitment



to sustainability. Learn more at www.usa.canon.com/green.

Color LCD Display

The intuitive seven-line Color LCD Display allows users to navigate through the menu seamlessly. The wide screen and color display are easy to read, helping you to complete tasks in a breeze.



For More Information, or to Order: www.UniLinkinc.com • 800.666.2980 • Sales@UniLinkinc.com

FEATURES	Color imageCLASS MF8580Cdw	Color imageCLASS MF8280Cw		
Franctions	BASIC SPEC			
Functions Print Speeds	Print/Copy/Sca Up to 10 ppm* (2-sided, plain paper letter)	Up to 14 ppm* (1-sided, plain paper letter)		
(default print mode: 2-sided)	Up to 21 ppm* (1-sided, plain paper letter)			
Connectivity	USB 2.0 Hi-Speed, 10/100 Base-T			
Operating Systems	Windows® 8, Windows 7, Windows Server® 2012, Windows Server 2008 R2, Windows Server 2008, Windows Vista®, Windows Server 2003, Windows® XP, Mac® OS X 10.5.8 and up, Linux (print only) (Drivers available for download from www.usa.canon.com)			
	Duplex Automatic Document Feeder: 50-sheet [†]	Simplex Automatic Document Feeder: 50-sheet [†]		
	Standard Cassette: 250-sheet;† 16-58 lb. Bond; Letter, Legal, A4, A5, B5, Statement, Executive	Standard Cassette: 150-sheet;† 16-58 lb. Bond; Letter, Legal, A4, A5, B5, Statement, Executive		
Paper Handling	Multipurpose Tray: 50-sheet;† 16-58 lb. Bond	Multipurpose Tray: 1-sheet; 16-58 lb. Bond		
3	Platen Size: U	p to 8.5"x 11"		
ADF Size: 5" x 5.5" to 8.5" x 14"				
Duplex	Output Tray: 125 S All Mode (Print, Copy, Scan, Fax)	heets (face-down) N/A		
Duty Cycle	Up to 40,000 Pages per Month	Up to 30,000 Pages per Month		
Security	IEEE802.1x, SNMPv3, HTTPS, IPsec, Secure Print,	IEEE802.1x, SNMPv3, HTTPS, IPsec,		
	Department ID Management	Department ID Management		
First-Print Time	PRINTER SPE Black/Color: 14.3 seconds or less (Letter) ^{††}	Black/Color: 18 seconds or less (Letter) ^{††}		
Printer Language	UFR II LT (Host-based), PCL 6 (5e,XL)	UFR II LT (Host-based)		
Print Resolution	1200 x 1200 dpi equivalent (240	ļ		
Print Features	Print Modes (Watermark, Page Composer,	Print Modes (Watermark, Page Composer,		
	Toner Saver, Poster, Booklet)	Toner Saver, Poster)		
Print Memory Mobile Print	512MB (Shared with Copy Memory) Canon Mobile Printing,* Apple AirPrint, Google Cloud Print			
MODILE I THIL		CIFICATIONS		
First Copy Time	Black: Approx. 15.3 Seconds ^{†††} (Letter)	Black/Color: Approx. 19 Seconds ^{†††} (Letter)		
	Color: Approx. 16 Seconds*** (Letter)	200 1 :		
Copy Resolution Halftones	Up to 600 x 600 dpi 256 Levels			
Max. Number of Copies	99 Cc			
Copy Features	Reduction/Enlargement 25%-400%, Collate, 2 on 1, 4 on 1,	.'		
	SCANNER SPE			
Scan Type	Color Contact Image Sensor (CIS); 24-bit (
Scan Speed	Black-and-white: 21 ipm▲ Color: 10 ipm▲			
Scan Resolution	Up to 600 x 600 dpi (optical); Up to 9600 x 9600 (interpolated)			
Output File Formats	PDF (Compact), PDF, JPEG, TIFF			
Scan Features	Scan to USB, Push (Scan to PC) and Pull Scan, Scan to E-mail, Scan to Network Folder	Scan to USB, Push (Scan to PC) and Pull Scan		
	FAX SPECI	FICATIONS		
Modem Speed	Up to 33.6 Kbps (Super G3)▲▲			
Fax Resolution	Up to 406 x 391 dpi (ultra fine)			
Fax Memory	Up to 512 Sheets			
Speed Dialing	Up to 181 Dials (One-Touch plus Coded Dials)			
Group Dialing Sequential Broadcasting	199 Destinations			
PC Fax	210 Destinations Yes (sending only)			
Fax Forwarding	Yes (Fax→Fax, E-mail, SMB)	Yes (Fax→Fax)		
Fax Features	Fax/Telephone Auto Switch, Remote Reception, Dual Access, Distinctive Ring Pattern Detection,			
	Error Correction Mode, Auto Redial, Ac GENERAL SPE			
Dimensions	17"(W) x 19.1"(D) x 18.9"(H)	17"(W) x 19.1"(D) x 16.9"(H)		
Weight	63.1 lb. (w/o CRG); 68.3 lb. (w/ CRG)	52 lb. (w/o CRG); 57.3 lb. (w/ CRG)		
Package Weight	Approx. 81.0 lb.	Approx. 67.2 lb.		
Warranty	One-year limited exchange/carry-in (Extended warranty available)			
Typical Energy Consumption (TEC)	ENVIRONMENTAL 0.9kWh	ENVIRONMENTAL SPECIFICATIONS		
Typical Energy Consumption (TEC)	During Operation: Approx. 450W	0.4kWh During Operation: Approx. 400W		
Power Consumption	Standby: Approx. 23W Energy Saver: Approx. 2W	Standby: Approx. 23W Energy Saver: Approx. 2W		
	During Operation: 50.3dB in Color (sound pressure)	During Operation: 46.7dB in Color (sound pressure)		
	50.9dB in B/W (sound pressure) 64.9dB or less in Color (sound power)	47.5dB in B/W (sound pressure) 61.3dB or less in Color (sound power)		
Noise Level	64.5dB or less in B/W (sound power)	61.6dB or less in B/W (sound power)		
	During Standby:	During Standby:		
	Inaudible (sound pressure) 36.5dB or less (sound power)	Inaudible (sound pressure) 22.5dB or less (sound power)		
	WHAT COMES IN THE BOX			
	MF8580Cdw product, Starter Cartridge 118,	MF8280Cw product, Starter Cartridge 131,		
	Power Cord, Phone Cable, User Manual, Starter Guide, Registration Card, Warranty Card, Canon Drivers	Power Cord, Phone Cable, User Manual, Starter Guide, Registration Card, Warranty Card, Canon Drivers		
	, , ,	d scanning at 300 v 300 dni		

^{*} Print speed is based on internal testing. Print speed may vary depending on the number of copies selected, as well as on the settings for size, type, and orientation of paper.

††† Letter-sized, after being restored from Energy Saver mode.

^{**} Wireless performance may vary based on terrain and distance between the printer and wireless network clients.

^{*} Requires Canon Mobile Printing app available free on the App store. Compatible with iPhone 5, iPhone 4S, iPhone 4, iPad mini, iPad 4, the new iPad, iPad 2, and the original iPad running OS 6.0.1 - 6.1.2.

[†] Based on 20 lb. Bond paper.

^{††} May vary depending on the output environment.


[▲] Based on Letter-sized scanning at 300 x 300 dpi.

^{**} The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.

AAA Based on ITU-T #1 Chart (standard mode).

Warranty program is subject to certain conditions and restrictions. See the warranty card for details.

^{■■} Declared noise emission in accordance with ISO 9296.



Color imageCLASS MF8580Cdw and Accessories

Color imageCLASS MF8580Cdw	6849B001AA
Cartridge 118 Black (yields approx. 3,400 pages based on ISO/IEC Standard)	2662B001AA
Cartridge 118 VP Black (yields approx. 6,800 pages based on ISO/IEC Standard)	2662B004AA
Cartridge 118 Yellow (yields approx. 2,900 pages based on ISO/IEC Standard)	2659B001AA
Cartridge 118 Magenta (yields approx. 2,900 pages based on ISO/IEC Standard)	2660B001AA
Cartridge 118 Cyan (yields approx. 2,900 pages based on ISO/IEC Standard)	2661B001AA
Cassette Feeding Unit-V1 (250-sheet Cassette)	0732A024AB
imageCLASS Low-Volume Virtual CarePAK (2-Year Exchange/Carry-in)	5120B040AA
imageCLASS Low-Volume eCarePAK (2-Year Exchange/Carry-in)	5707B023AA

Color imageCLASS MF8280Cw and Accessories

Color imageCLASS MF8280Cw	6848B001AA
Cartridge 131 Black (yields approx. 1,400 pages based on ISO/IEC Standard)	6272B001AA
Cartridge 131 Black H (yields approx. 2,400 pages based on ISO/IEC Standard)	6273B001AA
Cartridge 131 Yellow (yields approx. 1,500 pages based on ISO/IEC Standard)	6269B001AA
Cartridge 131 Magenta (yields approx. 1,500 pages based on ISO/IEC Standard)	6270B001AA
Cartridge 131 Cyan (yields approx. 1,500 pages based on ISO/IEC Standard)	6271B001AA
imageCLASS Low-Volume Virtual CarePAK (2-Year Exchange/Carry-in)	5120B040AA
imageCLASS Low-Volume eCarePAK (2-Year Exchange/Carry-in)	5707B023AA



As an ENERGY STAR partner, Canon U.S.A., Inc. has determined that this product meets the ENERGY STAR guidelines for energy efficiency. CANON, IMAGECIASS, and SUPER G3 are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEANYWARE is a trademark of Canon U.S.A.. All other referenced product names and marks are trademarks of their respective owners and are hereby acknowledged. Some items may not be available at this time; please check for availability. Specifications and availability subject to change without notice.

©2013 Canon U.S.A., Inc. All rights reserved.





Canon

imageANYWARE















