HP LaserJet Enterprise M507 Unil series





Handle business solutions securely, plus help conserve energy with HP EcoSmart toner

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.⁸

Dynamic security enabled printer. Only intended tobe used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future.

http://www.hp.com/go/learnaboutsupplies



HP LaserJet Enterprise M507dn



HP LaserJet Enterprise M507n



HP LaserJet Enterprise M507x

The world's most secure printing

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Yourprinter's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.8
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.
- Enhanced energy savings up to 29% over prior products⁸ plus save with Auto-on/Auto-off technology.³
- This printer fits in tight places to boost performance in almost any workspace.

Yourwhole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business
 efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloud-based printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.5

Enhanced productivity keeps business moving

- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.6
- Don't wait for documents. Print your first page in as little as 10 seconds from energy-efficient sleep mode.

¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ² High Yield Black Original Laser Jet Toner Cartridges not included; please purchase separately ³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings. ⁴ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin ⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager ⁶ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting ⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam ⁸ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov as of May 2019. Actual results may vary. HP testing is based on using the default Sleep Timer setting longer than the default value can increase TEC.

HP LaserJet Enterprise M507x

Product walkaround

- 1. 2nd generation Hardware Integration Pocket¹
- 2. Easy-access USB port²
- 3. Top cover release button
- 4. 100-sheet multipurpose tray 1 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)
- 5. 550-sheet input tray 2 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)
- 6. 550-sheet input tray 3 supports media sizes up to 8.5 x 14 inches (216 x 356 mm)3
- 7. 4.3-inch (10.9 cm) color touchscreen4
- 8. 250-sheet output bin
- 9. Top cover (access to JetIntelligence toner cartridge)
- 10. Automatic two-sided printing⁵ Dual-band Wi-Fi® with Bluetooth® Low Energy®
- 11. Slot for cable-type security lock
- 12. Gigabit Ethernet, Host USB port
- 13. Hi-Speed USB 2.0 printing port
- 14. USB port for connecting external USB devices



Series at a glance







Model	HP LaserJet Enterprise M507x	HP LaserJet Enterprise M507dn	HP LaserJet Enterprise M507n
Product number	1PV88A	1PV87A	1PV86A
Print speed (black) ⁷	Up to 45/43 pages per minute (ppm) (letter/A4) (all models)		
Control panel	4.3-inch (10.9 cm) touchscreen 2.7-inch (6.9 cm) LCD with keypad		
Automatic two-sided printing	√		Manual (driver support provided)
100-sheet multipurpose tray 1, 550-sheet input tray 2	√		
Standard 550-sheet paper tray 3	√	Not available	
Optional 550-sheet paper tray	Add up to three		
Optional printer cabinet	Add up to one (all models)		
Input capacity (standard/maximum ⁸)	Up to 650/2,300 sheets		
Hardware Integration Pocket ¹	√		Not available
Recommended Monthly Page Volume ⁹	2,000 to 7,500 pages (all models)		
Cartridge yield ¹⁰	Black: ~5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models)		
Wireless direct printing ¹¹ /NFC touch-to-print ¹²	Built-in wireless direct printing; optional NFC touch-to-print Optional		onal
Dual-band Wi-Fi® with Bluetooth® Low Energy ⁶	Built-in 0		onal

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Laser Jet Enterprise M507dn and M507x models include a second-generation HIP. The M507n does not include

a HIP. $^{\rm 2}$ An administrator must enable the easy-access USB port before use.

Tray 3 is only standard on the M507x model.

⁴ The HP Laser Jet Enterprise M507x model comes with a 4.3-inch (10.9 cm) touchscreen control panel. The HP Laser Jet Enterprise M507n and M507dn models come with a 2.7-inch (6.9 cm) display with 24-key pad.

⁵ Automatic two-sided printing is not available on the HP LaserJet Enterprise M507n.
6 Dual-band Wi-Fi® with Bluetooth® Low Energy is standard on the HP LaserJet Enterprise M507x and optional on the M507n and M507dn models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3.JN69A). If selected, you cannot also select the HP Jetdirect 2900nw Print Server (J8031A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at hp.com/go/mobileprinting.

A Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁸ Purchase of optional paper trays required to reach maximum input capacity.

⁹ Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

10 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.

11 Wireless direct printing is standard on the HP Laser Jet Enterprise M507x. The M507n and M507dn models can add wireless direct printing with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct

Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct–capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting.

12 Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see

hp.com/go/businessmobileprinting.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc

Top features

HP printers have the industry's strongest security because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business.

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

Accessories

2MU47A 2NR12A	HP Accessibility Assistant HP Removable Hard Drive Enclosure
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
F2A72A	HP LaserJet 550-sheet Paper Tray
F2A73A	HP LaserJet Printer Cabinet
G6W84A	HP 1 GB 90-pin DDR3 DIMM
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
1PV95A	HP USB Port 100pc M507/M528 Accy
5EL03A	HP TAA Version Secure Hard Disk Drive
G6W84A	HP 1GB 90-Pin DDR3 DIMM
X3D03A	HP USB Universal Card Reader
Y7C05A	HP HIP2 Keystroke Reader
4QL32A	HP Legic Card Reader

Supplies

CF289A	HP 89A Black Original LaserJet Toner Cartridge
CF289X	HP 89X High Yield Black Original LaserJet Toner Cartridge
CF289Y	HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge

Services

UB6Z2E	HP 3 Year Next Business Day Onsite Service
UB6Z3E	HP 4 Year Next Business Day Onsite Service
UB6Z4E	HP 5 Year Next Business Day Onsite Service
U9JT3E	Installation Service w/Network Setup

For more information or to order, please contact:



Sales@UniLinkinc.com | www.UniLinkinc.com | 800.666.2980

energy ?













HP LaserJet Enterprise M507 series

Technical Specifications	HP LaserJet Enterprise M507dn(1PV87A)	HP LaserJet Enterprise M507n(1PV86A)	HP LaserJet Enterprise M507x(1PV88A)		
rint speed	Letter: Up to 45 ppm bli	ack; ¹³ ; First Page Out Black (ready): As fast as 5.9 sec; First Page Out Black (s	sleep): As fast as 10 sec; ¹⁴		
rint resolution		Black (best): Up to 1200 x 1200 dpi			
rint Technology	Lasei	; Print Resolution Technologies: 300 dpi, 600 dpi, HP FastRes 1200, HP Prof	Res 1200		
rint Cartridges Number		1 (black)			
tandard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 to	driver available from the Web only), HP postscript level 3 emulation, native P	DF printing (v 1.7), Apple AirPrint™		
rinter Smart Software Features	Print preview, duplex print	ing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, sto	re print jobs, easy-access USB		
Printer Management	HP Device Toolbox; HP JetAdvantage Security Manager; HP Printer Assistant; HP Web JetAdmin Software; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility, and Driver Deployment Utility; Managed Printing Administrator)				
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet	Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy		
Network Capabilities	HP Jetdirect 2900nw Print Server J8031A	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w N	FC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless		
Wireless Capability	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE.		
Mobile Printing Capability	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing ⁷	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM optional for easy printing ⁷	Apple AirPrint™: Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM optional for easy printing; Wi-Fi® Direct printing ⁷		
Memory	Sta	andard: 512 MB; Maximum: 1.5 GB MAX memory, when Accessory DIMM is in:	stalled		
rocessor Speed		1.2 GHz / Hard disk: Optional, 500 GB minimum encrypted hard disk drive			
Outy Cycle	Month	nly: Up to 150,000 pages ⁸ ; Recommended Monthly Page Volume: 2,000 to 7	,500 ⁹		
Paper Handling	Input Capacties: 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplies printing, up to 650 sheets standard labels legal; Unput Capacties: 250-sheet output bir; Up to 250 sheets standard labels legal; Duplex Options: Automatic (standard); Envelope Feeder: No; Standard Paper Trays: Media Types Supported: Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock transparencies; user-defined; Media Weight Supported: Tray 1: letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch); Tray 2: letter, legal, executive, statement, 3 x 7 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, optional 550-sheet tray: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional 4 Automatic Duplexer: letter, legal, 8 x 13 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.88 to 8.5 x 14 in; Optional 550-sheet Tray: 4.14 x 5.88 to 8.5 x 14 in; Optional 550-sheet	Input Capacities: 100-sheet multipurpose Tray 1, 550-sheet input Tray 2; Up to 560 sheets standard labels legal; Output Capacities: 250-sheet output bin; Up to 250 sheets standard labels legal; Duplex Options: Manual (diriver support provided); Envelope Feeder: No: Standard Paper Trays: 2; Media Types Supported: Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined; Media Welght Supported: Tray 1: 16 to 53 lb; tray 2+: 16 to 32 lb; Media Sizes Supported: Tray 1: 16 to 53 lb; tray 2+: 16 to 32 lb; Media Sizes Supported: Tray 1: 1a to 53 lb; tray 2+: 16 to 32 lb; Media Sizes Supported: Tray 1: 1a to 50 st. 1a, 5 x 8 ln, 8.5 x 13 in; Optional 550-sheet tray! Letter, legal, executive, statement, 5 x 7 in, 5 x 8 ln, 8.5 x 13 in; Optional Automatic Duplexer: Letter, legal, 8.5 x 13 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 ln; Tray 2: 4.1 4 x 5.83 to 8.5 x 14 in; Optional 550-sheet Tray 4.14 x 5.83 to 8.5 x 14 in;	Input Capacities: 100-sheet multipurpose Tray 1, 550-sheet input Trays 2 and 3, automatic duplex printing; Up to 1200 sheet standard labels legal: Output Capacities: 250-sheet output bir; Up to 250 sheets standard abels legal: Duplex Options: Automatic (standard): Envelope Feeder: No; Standard Paper Trays: 3; Media Types Supported: Paper (Bond, color, letterhead, plain, preprinted, prepunched, recycled, rough): envelopes; labels; cardstock; transparencies; user-defined Media Weight Supported: Tray 1: 16 to 5 10; tray 2: 16 to 3 20; Media Sizes Supported: Tray 1: letter, legal, executive, statement, 3 x 5 in, 4, in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes (No. 9, No. 10, Monarch): Tray 2: letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Automatic Duplexer: letter, legal, 8.5 x 13 in; Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.14 x 5.83 to 8.5 x 14 in; Optional 550- sheet Tray: 4.14 x 5.83 to 8.5 x 14 in;		
Product Dimensions	W x D x H: 16.46 x 14.80 x 11.77 in; 418 x 376 x 299 mm Maximum: 16.46 x 25.16 x 11.77 in; 418 x 639 x 299 mm	WxDxH : 16.46 x 14.80 x 11.77 in; 418 x 376 x 299 mm Maximum : 16.46 x 25.16 x 11.77 in; 418 x 639 x 299 mm	WxDxH: 16.46 x 14.80 x 18.94 in; 418 x 376 x 481 mm Maximum: 16.46 x 25.16 x 18.94 in; 418 x 639 x 481 mm		
Product Weight	25.5 lb ² ; 11.48 kg	24.7 lb ² ; 11.21 kg	36.3 lb ² ; 16.34 kg		
What's in the box	HP LaserJet Enterprise M507 Printer; Black Toner Cartridge	(5K) (installed); Regulatory flyer (CD replacement); Unpack Flyer; Installation	n Guide; Power cord; Warranty Cards; Support flyers/number list ¹		
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options	vary by product, country and local legal requirements. Contact your Contract support options in your region. (wty code 4G; wty ID A001)	rual Vendor or go to hp.com/support to learn about HP award winning service ar		
Energy Efficiency Compliance	Blue Angel; CECP; EPEAT® Gold; ENERGY STAR® qualified	CECP	Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified		
Control Panel	2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad	2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button		
Display Description	2.7-in (6.86 cm) QVGA LCD (color graphics)	2.7-in (6.86 cm) QVGA LCD (color graphics)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)		
Software Included	N	o software solutions are included in the Box, only on http://www.hp.com/su	pport		
onts and Typefaces			de Fonts (Andale Mono World Type);2 Internal Windows Vista 8 Fonts (Calibri,		
Compatible Operating Systems	Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts Android, Linux Boss (5.0), Linux Debian (7.0-8.6), Linux Fedora (22-24), Linux Mint (17-17.3) 18, Linux Red Hat Enterprise (6 & 7), Linux SUSE (13.2 & 42.1), Linux Ubuntu (12.04 & 14.04 & 15.1 & 16.04 & 16.10), MacOS High Sierra				
Compatible Network Operating Systems	10.13, MacOS Mojave 10.14, MacOS X 10.15, Windows 7-64, Windows 8.1-32, Windows 8.1-64, Windows 10-32, Windows				
Minimum System Requirements	PC: 2 GB available hard disk space, Internet connection, USB port, Internet b		2 GB Available hard drive Space, Internet connection or USB port, OS hardware		
Power	Power Supply Type: Built-in 115V or 220V Power Supply; Power Requirements: Input voltage: 200 V to 27 V nominal (+/-10%), 50 - 60 Hz nominal (+/- Hz), 7.5 A; Input voltage: 220 V to 240 V nominal (+/-10%), 50 - 60 Hz nominal (+/- Hz), 4 A; Power Consumption: 601 (Active Printing) 7.60 (Ready), 2.61 watts (Sleep), 0.06 watts (Auto-Off), 0.06 watts (Off), Auto Off/Wake on LAN 0.73 Watt ³				
Acoustics	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 55 dB(A) ¹⁵	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 55 dB(A) ¹²	Acoustic Power Emissions: 6.8 B(A); Acoustic Pressure Emissions: 54 dB(A) ¹²		
Operating Environment			umidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to		
Security Management	Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTT Balloon Security Technology - Constant in-device monitoring for attacks; Su	er PIN codes; optional HP and 3rd party advanced authentication solutions (1.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Acce 'PS); Encrypted Credentials; Device: Security lock slot; USB port disablement reStart Secure Boot - BIOS Integrity Checking with self-healing capability; Wi	(e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; ar ss Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 ; hardware integration pocket for security solutions; Intrusion Detection with Re- nitelisting - loads only known good code (DLLs, EXEs,); Connection Inspector - in for Microsoft SCCM, Device Security Syslog Messages processed and accessab		

In box cartridge yelds 5,000 black pages based on SQ/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, voit: http://www.hp.com/go/learnaboutsupplies; ² With print cartridges ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Start value typically based on measurement of 115V device. ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Start value typically based on measurement of 115V device. ³ Best TEC is not applicable to the E5.2 of TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum Steep Delay was used, Wi-Fi Direct was disabled, and Active I/O - Energy Efficient Ethernet was used. ³ Declared yield value in accordance with Solfic 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies. ⁷ To enable PR Poam, some devices may require firmware to be upgraded and an optional accessory to add Bluetoothe Low Energy (ELE) beaconing capabilities. Subscription may be require firmware to be upgraded and an optional accessory to add Bluetoothe Low Energy (ELE) beaconing capabilities. Subscription may be require firmware to be upgraded and an optional accessory to add Bluetoothe Low Energy (ELE) beaconing capabilities. Subscription may be require firmware to be upgraded and an optional accessory to add Bluetoothe Low Energy (ELE) beaconing capabilities. Subscription may be require firmware to be upgraded and an optional accessory to add Bluetoothe Low Energy (ELE) accessors to a constraint of the product of the product obscription in the product of the product obscription in the product of the product obscription in the produ

Learn more at hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

