



Proven Performance from the Quality Leader

Addmaster Offers Unique Benefits for the Teller Application

- Small Footprint
- Quiet Inkjet Printing
- High Reliability
- Speed, Ease and Simplicity
- Unparalleled Support



For More Information:

UniLink

www.UniLinkinc.com 800.666.2980 Sales@UniLinkinc.com

IJ7100 Series

This compact teller receipt and validation printer is packed with features that make it easy to use and simple to interface. No printer can handle a wide range of bank forms as quickly and easily as the IJ7100. It's also compatible with most of the popular core banking software. The IJ7100 features a high yield Hewlett-Packard print cartridge and is designed to deliver proven reliability with a low cost of ownership.

About Addmaster

Addmaster has been trusted by the banking industry as a leading manufacturer of quality products for over 50 years. The first to bring inkjet technology to bank receipt printing, Addmaster specializes in teller applications and has installed hundreds of thousands of teller printers in leading financial institutions around the world.

Speed and Economy

The IJ7100 delivers fast transactions with economy—something bankers will appreciate. Hewlett-Packard's long-lasting print cartridge is designed with transaction printing in mind, and provides consistent quality that's better than impact or thermal receipts.

Flexible Validation Capabilities

Our full-length validation slot permits a wide variety of form sizes. It's always open and ready to validate so there is no delay. Multiline validation and a variety of fonts and formats provide great flexibility in validating deposit slips, cash tickets, checks and more.

Enhanced Image Readability

Our patented device aligns the form automatically, so print is consistently in the same location. It's ideal for banks that image documents... read rates can be greatly improved over competitive models.

Addmaster IJ7100 Series

Bank Teller Receipt & Validation Printer

Print Method		
Thermal Inkjet		
Ink Cartridges		
Part #95842 (96 × 144 dpi), Part #HP C6602A		
Print Speed		
5 lines per second at 42 characters / line 10 lines per second at 10 characters / line		
Receipt Paper		
Roll	Width 3" × Diameter 3" (76mm × 76mm)	
Print Zone	Width 2.75"	
Form Size		
Minimum	Width 5.5"	
Maximum	Width Unlimited	
Form Print Zone		
2.75" wide, top line at 1.54" from form bottom (Prints 6 lines above MICR line, 8 lines if no MICR)		
Microprocessor		

Code Emulations		
Epson, IBM, DH, others by request		
Options		
Automatic Form Positioning		
Paper Roll Holder Arms (replaces covered roll holder))		
Form Holder Bracket (replaces covered roll holder)		
Interface		
Two Ports Provided 1 USB 2.0 and 1 Serial RS232		
Serial Baud Rate		
9600 or 38400 (Dip Switch Selectable)		
Power Source		
24 VDC, 1A External Power Supply		
Product Metrics		
Overall Dimensions Width 7.0" × Depth 6.2" × Height 3.6	11	
With Paper Holder Width 7.0" × Depth 9.2" × Height 4.6	II	
Weight 2.9 lbs. (1.3 kg)		
Shipping Weight 4.4 lbs. (2.0 kg)		

Specifications subject to change without notice. ©Copyright 2013 Addmaster Corporation



www.UniLinkinc.com 800.666.2980 Sales@UniLinkinc.com



Printer Shown with Roll Cover



Printer Shown with Form Rack



Printer Shown with Roll Brackets



