

HP Color LaserJet Enterprise MFP M682 series



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.¹

This HP Color LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network with the industry's deepest security. 1



HP Color LaserJet Enterprise Flow MFP M682z

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.³
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High speed performance meets energy efficiency

- Scanning is now faster than ever; duplex scan speeds up to 180 ipm. Scan to SharePoint and more.8
- This MFP wakes up fast and prints your first page faster—in as quickly as 12.5 seconds.⁹
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.6
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.

More Pages, Performance, and Protection⁵

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per color cartridge vs predecessor.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages —every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurity.daims

Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printsecurity.

HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate

⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP 657X High Yield Color Original LaserJet Toner Cartridges. For more

information, see hp.com/go/learnaboutsupplies Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings.

Post A high returning the brightness of the control in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

Product walkaround

- 1. Hardware Integration Pocket¹
- 2. Easy-access USB port²
- 3. 1,000-sheet 3-bin stapler/stacker with offset job printing (Flow z models only)
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 550-sheet tray 2
- 7. 1x550-sheet/2,000-sheet HCI feeder and stand³
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage⁴
- 9. 8.0-inch (20.3 cm) icon-based color touchscreen
- 10. Pull-out keyboard⁴
- 11. 100-sheet multipurpose tray 1
- 12. Lower-right door (access to print path)
- 13. Front door access to toner cartridges
- 14. Fax port⁵
- 15. Slot for cable-type security lock
- 16. Built-in Gigabit Ethernet
- 17. Hi-Speed USB 2.0 printing port
- 18. USB port for connecting external USB devices



Series at a glance



Model	HP Color LaserJet Enterprise Flow MFP M682z
Model	Model
Product number	J8A17A
Print speeds (letter/A4) ⁶	Up to 60/56 ppm
Fax capabilities	√
100-sheet tray 1, 550-sheet tray 2	√
550-sheet paper feeder	Not available
550-sheet paper feeder with stand and cabinet	Not available
3x550-sheet paper feeder and stand	Not available
1x550-sheet/2,000-sheet HCI feeder and stand	√
3-bin stapler/stacker with offset job printing	√
Advanced workflow features including pull-out keyboard	√
Direct mobile printing	Embedded Wi-Fi Direct ^{®7} / Bluetooth® Low Energy ¹⁰
Wireless networking	Optional ¹⁰

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. An administrator must enable the easy-access USB port before use. Standard and optional paper-handling accessories vary by model. See Series at a glance table for details. The pull-out keyboard and HP EveryPage are only available on the HP Color LaserJet Enterprise Flow MFP M681z and Flow MFP M682z models. Fax capability is optional on the HP Color LaserJet Enterprise MFP M681d model; it is included on all other models. Neasured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. All models come standard with the 100-sheet multipurpose tray 1 and 550-sheet tray 2. In addition, the M681dh can add up to two additional 550-sheet paper feeders; or, it can add one of the other accessories (550-sheet paper feeder with stand and cabinet, 3x550-sheet paper feeder and stand, or 1x550-sheet/2,000 HCI feeder and stand, 8 Wi-Fi Direct printing is embedded in the HP Color LaserJet Enterprise Flow MFP M682z model. All other models can add wireless direct by purchasing the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device, enable to the signal of a Wi-Fi Direct printing. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance®. 9 Touch-to-print capability is optional for all models (except the Flow MFP M682z) with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. 10 Bluetooth Low Energy is standard only on the HP Color LaserJet Enterprise Flow MFP M682z and it cannot be added to other models. Bluetoothe Subtractor and as a trademark of womend by its proprietor and used by HP Inc. under license. 11 All models can add wireless networking with the purchase of the optional HP Je

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:

Top features

Only HP enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.1

With speeds up to 60 pages per minute⁴, fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your MFP using Original HP Toner cartridges with JetIntelligence.⁵

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm8—and avoid extra steps with a Flow MFP designed for maximum productivity.

energy	Pnergy 3	

ENERGY STAR











Accessories	
2MU47A	HP Accessibility Assistant
2NR09A	HP 2GB 144-Pin DDR3 TAA Version DIMM
2NR12A	HP Removable Hard Drive Enclosure
2TD64A	HP Accessibility Kit
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
5EL03A	HP TAA Version Secure Hard Disk Drive
A7W13A	HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
B5L31A	HP Foreign Interface Harness
CC487A	HP LaserJet MFP Analog Fax Accessory 500
CC543B	HP SmartCard NIPRNet Solution for US Government
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
E5K49A	HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
F5S62A	HP Trusted Platform Module Accessory
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
J8J95A	HP 300 ADF Roller Replacement Kit
J8J96A	HP Staple Cartridge Refill
P1B09A	HP Color LaserJet 550-sheet Media Tray
P1B10A	HP Color LaserJet 550-sheet Paper Tray with Stand
P1B11A	HP Color LaserJet 3x550-sheet Feeder and Stand
P1B12A	HP Color LaserJet 1x550/2000-sheet HCI Feeder and Stand
Supplies	

P1B12A	HP Color Laser Jet 1x550/2000-sheet HCI Feeder and Stand
Supplies	
CF450A	HP 655A Black Original LaserJet Toner Cartridge (~12,500 yield)
CF470X	HP 657X High Yield Black Original LaserJet Toner Cartridge (~28,000 yield)
CF451A	HP 655A Cyan Original LaserJet Toner Cartridge (~10,500 yield)
CF471X	HP 657X High Yield Cyan Original LaserJet Toner Cartridge (~23,000 yield)
CF452A	HP 655A Yellow Original LaserJet Toner Cartridge (~10,500 yield)
CF472X	HP 657X High Yield Yellow Original LaserJet Toner Cartridge (~23,000 yield)
CF453A	HP 655A Magenta Original LaserJet Toner Cartridge (~10,500 yield)
CF473X	HP 657X High Yield Magenta Original LaserJet Toner Cartridge (~23,000 yield)
P1B91A	HP LaserJet 110V Maintenance Kit (~150,000 pages)
P1B92A	HP LaserJet 220V Maintenance Kit (~150,000 pages)
P1B93A	HP LaserJet Image Transfer Belt Kit (~150,00 pages)
P1B94A	HP LaserJet Toner Collection Unit (~100,000 pages)
J8J95A	HP 300 ADF Roller Replacement Kit (~150,000 pages)
J8J96A	HP Staple Cartridge Refill (5,000 staples)
Services	
U9NP3E	HP 3 year NBD Service w/Defective Media Retention
U9NP6E	HP 3 year 4 hour 9x5 Service w/Defective Media Retention
U9NX1PE	
U9NX3PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR

Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims

2 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printsecurity.

3 HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

5 More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original Laser Jet Toner Cartridges with HP 657X High Yield Color Original Laser Jet Toner Cartridges. For more information, see https://www.hp.com/go/printerclaims.

information, see hp.com/go/learnaboutsupplies

6 Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings.

Actual results may vary.

7 HP 657X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

An FCC class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

HP Color LaserJet Enterprise MFP M682 series

The Color La.	serJet Enterprise MFP M682 series
Model	HP Color LaserJet Enterprise Flow MFP M682z
Product number AIO functions	J8A17A Print, copy, scan, fax; AIO multitasking supported: Yes
Print	Frint, Cupy, Scan, Tex, no mountains supported. Tes
Print speed ¹⁰¹²¹¹	Letter: Up to 60 ppm Black; Up to 60 ppm Color; 2-sided: Up to 60 ppm Black; Up to 74 ppm Black; Up to 74 ppm Color; Prior tage out: As fast as 5.7 sec Black; As fast as 5.8 sec Color; Print speed (Landscape, AS): Up to 74 ppm Black; Up to 74 ppm Color Prior tage of the Color tage of tage of the Color tage of tage of the Color tage of tage
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi Color (best): Up to 1200 x 1200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi
Print technology Print cartridges number	Laser; Print resolution technology: HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated 4 (1 each black, cyan, magenta, yellow)
Standard print languages	HP PCL 6; HP postcript leaves a renulation, native PDF printing (v 1.7), URF (AirPrint)
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Scan type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)
Scan resolution	Hardware: Up to 600 × 600 dpi; Optical: Up to 600 dpi
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF/A (OCR), FINT from easy access USB: PDF, PS, Print Ready files (.prn, .pci, .cht)
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; HP Scan or user application via TWAIN
Scan Size Scan speed ¹⁸	ADF: 8.5 x 34.0 in Maximum; 2.7 x 5.8 in Minimum; Flatbed: Up to 83 ppm (b&w), up to 83 ppm (color) Up to 83 ppm (b&w), up to 83 ppm (color) Duplex: Up to 167 ipm (b&w), up to 167 ipm (color)
Scanner advanced features	Optimize text/picture; Image adjustments: Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation, Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone; %%Products.scanformat/frit*% PDF, JPG, TIF, MTIF
Bit depth / Grayscale levels	24-bit / 256
Digital sending standard features Copy	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR
Copy speed ¹⁴	Black (ISO): Up to 56 cpm; Color (ISO): Up to 56 cpm; First copy out: As fast as 5.9 sec Black; As fast as 6.4 sec Color; 2-sided: Up to 60 cpm Black; Up to 60 cpm Color
Copy resolution Maximum Number of	Black (text and graphics): Up to 600 x 600 dpi; Color (text and graphics): Up to 600 x 600 dpi
Copies	Up to 9999
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Co (different media sizes)
Fax	
Fax speed ¹⁷ Fax resolution	Up to:33.6 kbps / Letter:3 sec per page Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
	Fax memory: Up to 500 pages; Auto fax reduction supported: Yes; Auto-redialing; Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes; Fax phone TAM interface supported: No; Fax
Fax Features	Fax memory: Up to 500 pages; Auto fax reduction supported: Yes, Auto-redialing; Yes; Fax delayed sending: No; Distinctive ring detection supported: No; Fax forwarding supported: Yes, Fax phone TAM interface supported: No; Fax polling supported: Yes (poll to receive only); Fax telephone mode supported: No; Junk barrier supported: Yes; Maximum speed dealing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Remote retrieval capability supported: No; Telephone handset supported: No;
Connectivity Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking
Wireless capability	(standard). Yes, Built-in Wi-Fi Direct, Bluetooth low energy (BLE); Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing; Bluetooth Low Energy; Google Cloud Print 2.0
Memory Processor speed	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB 1.2 GHz / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
Duty cycle (monthly)	Letter:Up to 120,000 pages; Recommended monthly page volume: 2000 to 17,000
Paper handling Input	100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 2,000-sheet high capacity input tray 4, 150-sheet automatic document feeder; Up to 3200 sheets Standard; MP Tray: Up to 10 envelopes (or 10mm stack height)
Output	500-sheet output tray, 500-sheet output stapler stacker, two-sided printing; Up to 1,000 sheets Standard; Up to 200 sheets
Duplex Options	Automatic (standard)
Auto document feeder capacity	Standard, 150 sheets
Envelope feeder Standard paper trays	No 4
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media weight	opaque film, user-defined Tray 1: 16 to 58 lb (plain) 32 to 58 lb (glossy); Trays 2, 3: 16 to 90 lb (plain) 32 to 58 lb (glossy); Tray 4: 16 to 58 lb (plain)
Media sizes	Tray 1: letter, legal, executive, statement, Oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in; Fray 4: letter, legal
Media Sizes Custom Dimensions (w x d x h)	Tray 1: 3 x 5 to 8.5 x 14 in; Trays 2, 3: 4 x 5.83 to 8.5 x 14 in; Optional 2000-sheet tray: custom sizes not supported in this tray 25.87 x 25.87 x 50.00 in; Maximum: 39.06 x 38.07 x 60.20 in
Weight ⁴	23.67 x 23.67 x 30.00 (I), maximum : 33.00 x 30.07 x 60.20 (II) 168.1 (b
What's in the box ²	HP Color Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your
Energy efficiency	region. ENERGY STAR® qualified; CECP; EPEAT® Silver
compliance Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Pull-out Keyboard
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria additional font solutions available via third-party flash memory cards; HP Laser let Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.1, 14.04, 15.1), 16.00, 41.610, 10.05 mac(S 10.12 Septera, 0.5 X 10.11 by Septera, 0.5 X 10.11 EL Capitan, UBIX, Windows 10.01 al 32-8.64-bit editions (excluding RT 0.5 or Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0. Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3). Citrix on Windows Server 2003/2003R2, Citrix, on Windows Server 2008/2008R2/2008 R2 SP1. Citrix New Mindows Server 2008/2008 R2 SP1. Citrix New Mindows Server 2008 Terminal Services 32- and 64-bit, Citrix KenApp 6.0/6.5 (For Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit), Citrix KenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 73- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2008 R2 SP1 Terminal Services, 73- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2008 R2 SP1 Terminal Services, 73- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2008 R2 SP1 Terminal Services, 73- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2018 R2 SP1 Terminal Services, 73- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2018 R2 SP1 Terminal Services, 73- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2018 R2 SP1 Terminal Services, 80- and 64-bit), Citrix KenApp 6.0/6.5 (For Windows Server 2018 R2 SP1 Terminal Services), Windows Server 2018 R2 SP1 Terminal Services, Windows Server 2018 R2 SP1 Terminal Services, Windows Server 2018 R2 SP1 Terminal Services, Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (Patacenter (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (*Cluster & Terminal Services), Windows Server 2008 R2 SP1 SP2), Standard/Enterprise (*Cluster & Terminal Services), Windows SP1 SP2, SP2, Standard/Enterprise (*Cluster & Terminal Services), Windows SP1 SP2, SP2, Standard/Enterprise (*Cluster & Terminal Services), Windows SP2 SP1 SP2, SP2, Standard/Enterprise
Minimum system	Standarg: Property Datacenter (* Cluster & Terminal Services), windows Server 2012/2012 K2 84-bit Standard/Foundation/Essentials/Datacenter (* Cluster & Terminal Services) PC22 GB available hard disk space; OS hardware requirements see microsoft.com; Mac: 1.3 GB available hard drive space; internet, OS hardware requirements see Apple.com for more info
requirements	Power supply type: Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier); Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-
Power	Power supply type: Built in 115V or 220 V Power Supply (not dual voltage, power supply waries by part in umber with ontoin code identifier): Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 – 60Hz nominal (+/-10%), 50 – 60Hz nominal (+/-10%), 60 – 60 – 60 – 60 – 60 – 60 – 60 – 60
Acoustics Operating environment	Acoustic power emissions: 6.8 B(A) Operating temperature range: 50 to 86°F; Recommended operating temperature: 63.5 to 77°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80°F; Recommended operating humidity range: 30 to 70°F; Storage temperature range: 40°F; Storage temperature range: 40°F; Storage temperature range: 40°F; Storage temperature r
Operating environment	RH
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional Hap and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key are Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1 X authentication (EAP-FEAP: EAP-TLS); SNMP93-HTTPS; Certificates; Access Control LIst; Data: Storage Encryption; Encrypted PDF Email (uses IPS-140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BlOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Sign Messages processed and accessed and