

HP Scanjet Pro N4000 snw1 Sheet-feed Scanner



Fast, affordable, and designed to handle everything from simple color jobs to complex workflows. Quickly and reliably digitize larger projects with scan speeds up to 40 ppm/80 ipm and a 50-page ADF. Recommended for 4,000 pages per day.



Fast scanning. Superb results. Every page.

- Produce scans at up to 40 ppm/80 ipm¹ with two-sided scanning that captures both sides at once.
- Wi-Fi Direct enables scanning from a wireless mobile device without requiring a connection to a network or the internet.
- Capture every page easily—even stacks of mixed media—with HP EveryPage and an ultrasonic sensor.³
- Rely on this scanner time after time—recommended for 4000 pages per day.

Optimize workflows with one-touch scanning

- Streamline routine work with one-touch scanning—create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, searchable PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.

Capture business documents like a pro

- Tackle tasks quickly and easily with the simple 2.8" color touchscreen
- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Capture and organize documents, business cards, and other file types with feature-rich software.
- Produce clear, legible scans—up to 1,200-dpi resolution.













HP Scanjet Pro N4000 snw1 Sheet-feed Scanner Specifications Table

Scen Type Sheetfed Scan Resolution Hardware: 600 x 600 dpi; Optical: Up to 600 dpi Scan File Format For text & images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (Lxtt), Rich Text (.rff) and Searchable PDF 7.1 cm (2.8 inch) Color touch screen on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA Scan Speed Up to 40 ppm / 80 ipm³ Scan Size Maximum ADF: 8.5 x 122 in Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Duplex ADF scanning Yes Standard, 50 sheets Capacity Multi Feed Detection Light Source (scanning) LED Output Resolution Dpi 75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi Settings Twain Version Bit depth / Grayscale levels Digital Sending Standard Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Connectivity Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Media Types Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) 10.4 to 54.6 lb U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A8: 210 x 297 mm (8.3 x 11.7 in); ISO BS: 182 x 257 mm (7.2 x 10.1 in); ISO BS: 176 x 250 mm (7.0 x 9.9	Color Scanning	Yes
Scan Resolution Hardware: 600 x 600 dpi; Optical: Up to 600 dpi	Scan Technology	CMOS CIS (Contact Image Sensor)
For text & images: PDF, PDF/A, Encrypted PDF, JPEG, PNG, BMP, TIFF, Word, Excel, PowerPoint, Text (Lxt), Rich Text (.rtf) and Searchable PDF 7.1 cm (2.8 inch) Color touch screen on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA Scan Speed Up to 40 ppm / 80 ipm³ ADF: 8.5 x 122 in Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Duplex ADF scanning Auto Document Feeder Lapacity T5; 150; 200; 240; 300; 400; 500; 600; 1200 ppi Settings Town Hersion Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a Bit depth / Grayscale levels Connectivity Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Wemory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Wemory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Wedia Weights 10.4 to \$4.6 lb U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.3 x 11 in); U.SExecutive: 184.2 x 266.7 mm (7.2 x 10.1 in); ISO 85: 176 x 250 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO 85: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 10.3 x 120 x	Scan Type	Sheetfed
Excel, PowerPoint, Text (.txt), Rich Text (.rtf) and Searchable PDF 5can Input Modes 7.1 cm (2.8 inch) Color touch screen on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA 5can Speed Up to 40 ppm / 80 ipm³ ADF: 8.5 x 122 in Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Yes Duplex ADF scanning Yes Standard, 50 sheets Standard, 50 sheets LED Dutput Resolution Dpi Sectings Twain Version Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a Bit depth / Grayscale levels Digital Sending Standard Reatures Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Connectivity Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Media Types Ut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) 10.4 to 54.6 lb U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.3 x 11 in); U.SExecutive: 184.2 x 266.7 mm (7.2 x 10.1 in); ISO 85: 176 x 250	Scan Resolution	Hardware : 600 × 600 dpi; Optical : Up to 600 dpi
Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA Scan Speed Up to 40 ppm / 80 ipm³ ADF: 8.5 x 122 in Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Popular ADF scanning Yes Standard, 50 sheets Standard Standard Standard Standard Standard Standard, 50 sheets Standard Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Standard: Standard: Standard: Standard: Standard: Standard: Standard Standard: S	Scan File Format	
ADF: 8.5 x 122 in ADF: 8.5 x 122 in AUC-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Populex ADF scanning Auto Document Feeder Auto Document Feeder Apacity Autif Feed Detection Jest Source (scanning) LED Autory Age Standard, 50 sheets Autory Autif Feed Detection Jight Source (scanning) Autory Age Standard Journal Version Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a Bit depth / Grayscale levels Joigtal Sending Standard Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Connectivity Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: St2 MB ARM-1176 666 MHz Arcommended daily duty cycle: 4000 pages Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.2 x 10.5 in); ISO A8: 105 x 148 mm (5.8 x 14 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in) What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	can Input Modes	
Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, zonal OCR, zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Yes Standard, 50 sheets Standard Standard Standard Standard Standard Standard Standard Standard Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: Standard: Standard Standard Standard: Standard: Standard Standard: Standard	Scan Speed	Up to 40 ppm / 80 ipm ³
zonal barcode, edge removal, background cleanup, remove hole, color drop ou straighten the page, scan to cloud, scan to email, PDF security, misfeed detection advance setting, Citrix Ready Pyes Standard, 50 sheets St	Scan Size Maximum	ADF : 8.5 x 122 in
Auto Document Feeder Capacity Multi Feed Detection Light Source (scanning) Dutput Resolution Dpi Settings Twain Version Bit depth / Grayscale levels Digital Sending Standard Features Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Connectivity Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: 512 MB ARM-1176 666 MHz Duty Cycle (daily) Recommended daily duty cycle: 4000 pages Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Sizes U.SLetter: 215.9 × 279.4 mm (8.5 × 11 in); U.SLegal: 215.9 × 355.6 mm (8.3 × 11.7 in); JIS BS: 182 × 257 mm (7.2 × 10.5 in); ISO BA: 716 × 250 mm (7.0 × 9.9 in); ISO AS: 148 × 210 mm (5.8 × 3.3 in); ISO A6: 105 × 148 mm (5.8 × 4.1 in); ISO A8: 72 × 74 × 104 mm (2.9 × 4.1 in); ISO BS: 750 × 29 in) What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	Scanner Advanced Features	zonal barcode, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security, misfeed
Capacity Multi Feed Detection Yes Light Source (scanning) Dutput Resolution Dpi Settings Twain Version Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a Bit depth / Grayscale levels 24-bit (external), 48-bit (internal); 256 Digital Sending Standard Features Standard: 512 MB Connectivity Standard: 512 MB Memory Standard: 512 MB Processor Speed ARM-1176 666 MHz Duty Cycle (daily) Recommended daily duty cycle: 4000 pages Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.3 x 11.7 in); JIS BS: 182 x 257 mm (7.2 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS BS: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 3. in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in) What's in the box Freight Short S	Duplex ADF scanning	Yes
LED T5; 150; 200; 240; 300; 400; 500; 600; 1200 ppi Settings Twain Version Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a Sit depth / Grayscale levels Digital Sending Standard Features Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Connectivity Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: 512 MB Processor Speed ARM-1176 666 MHz Duty Cycle (daily) Recommended daily duty cycle: 4000 pages Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Sizes U.SLetter: 215.9 × 279.4 mm (8.5 × 11 in); U.SLegal: 215.9 × 355.6 mm (8.5 × 14 in); U.SExecutive: 184.2 × 266.7 mm (7.2 × 10.5 in); ISO A6: 176 × 250 mm (8.3 × 11.7 in); ISD B5: 182 × 257 mm (7.2 × 10.1 in); ISO B5: 176 × 250 mm (7.0 × 9.9 in); ISO A6: 148 × 210 mm (5.8 × 3.3 in); ISO A6: 105 × 148 mm (5.8 × 11 in); ISO A6: 105 × 148 mm (5		Standard, 50 sheets
Total Content Total Content	Multi Feed Detection	Yes
Freitings Frain Version Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a 24-bit (external), 48-bit (internal); 256 Digital Sending Standard Features Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Standard: 512 MB Processor Speed ARM-1176 666 MHz Duty Cycle (daily) Recommended daily duty cycle: 4000 pages Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Sizes U.SLetter: 215.9 × 279.4 mm (8.5 × 11 in); U.SLegal: 215.9 × 355.6 mm (8.5 × 14 in); U.SExecutive: 184.2 × 266.7 mm (7.25 × 10.5 in); ISO A4: 210 × 297 mm (8.3 × 11.7 in); IJS B5: 182 × 257 mm (7.2 × 10.1 in); ISO B5: 105 × 148 mm (5.8 × 11 in); ISO A8: 774 × 104 mm (2.9 × 4.1 in); ISO A8: 52 × 74 mm (2.0 × 2.9 in) What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	ight Source (scanning)	LED
24-bit (external), 48-bit (internal); 256 Digital Sending Standard Features Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud Connectivity Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct Memory Standard: 512 MB ARM-1176 666 MHz Duty Cycle (daily) Recommended daily duty cycle: 4000 pages Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.2 x 10.1 in); ISO 85: 176 x 250 mm (8.9 x 11.7 in); ISO 85: 182 x 257 mm (7.2 x 10.1 in); ISO 85: 180 A6: 105 x 148 mm (5.8) 4.1 in); ISO A6: 77: 74 x 104 mm (2.9 x 4.1 in); ISO A6: 25.2 x 29.9 in); ISO A6: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8) 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A6: 25.2 x 29.9 in); ISO A6: 105 x 148 mm (2.9 x 2.9 in); ISO A6: 105 x 148 mm (5.8) 4.1 in); ISO A6: 77 x 4 x 104 mm (2.9 x 4.1 in); ISO A6: 52.7 x 4 mm (2.0 x 2.9 in); ISO A6: 105 x 148 mm (5.8) 4.1 in); ISO A6: 05 x 148 mm (5.8) 4.1 in); I		75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi
Scan to PC, Scan to USB Drive, Scan to Email, Scan to Network Folder, Scan to SharePoint, Scan to Shortcut, Scan to Cloud	Twain Version	Windows: 32-bit and 64-bit TWAIN version 2.1; Mac: n/a
SharePoint, Scan to Shortcut, Scan to Cloud	Bit depth / Grayscale levels	24-bit (external), 48-bit (internal); 256
Standard: 512 MB Processor Speed ARM-1176 666 MHz Processor Speed Recommended daily duty cycle: 4000 pages Redia Types Cut Sheet Paper, Printed Paper, (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Redia Weights 10.4 to 54.6 lb Redia Sizes U.SLetter: 215.9 × 279.4 mm (8.5 × 11 in); U.SLegal: 215.9 × 355.6 mm (8.5 × 14 in); U.SLegal: 215.9 × 355.6 mm (8.5 × 11 in); U.SLegal: 215.9 × 355.6 mm (8.5 × 14 in); U.SLeg		
ARM-1176 666 MHz	Connectivity	Standard: Ethernet 10/100 Base-T, USB 3.0, WiFi 802.11 b/g/n, WiFi Direct
Duty Cycle (daily) Recommended daily duty cycle: 4000 pages Media Types Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Weights 10.4 to 54.6 lb Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); ISO B5: 1176 x 250 mm (7.0 x 9.9 in); ISO A5: 118 x 210 mm (7.28 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in) What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	Memory	Standard: 512 MB
Media Types Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Weights 10.4 to 54.6 lb Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); IJS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 11 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in) What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	Processor Speed	ARM-1176 666 MHz
Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed Plastic cards (up to 1.24mm) Media Weights 10.4 to 54.6 lb Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A6: 210 x 297 mm (8.3 x 11.7 in); IS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mr (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 11 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in) What's in the box	Outy Cycle (daily)	Recommended daily duty cycle: 4000 pages
Media Sizes U.SLetter: 215.9 x 279.4 mm (8.5 x 11 in); U.SLegal: 215.9 x 355.6 mm (8.5 x 14 in); U.SExecutive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 10.5 in); ISO A6: 17.7 x 104 mm (2.9 x 4.1 in); ISO A6: 52 x 74 mm (2.0 x 2.9 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in); What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	Media Types	Checks, Business Cards, Freight Bills, Carbonless forms, Plastic Carrier sheets for easily damaged documents, Previously stapled media with staple removed,
x14 in); U.SExecutive: 184.2 x 266.7 mm (7.2 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mr (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in) What's in the box 6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Instal	Media Weights	10.4 to 54.6 lb
or World ower cord, rower hadpter, obb cable, searmer Engine, rigers, instat	Media Sizes	mm (8.3 \times 11.7 in); JIS B5: 182 \times 257 mm (7.2 \times 10.1 in); ISO B5: 176 \times 250 mm (7.0 \times 9.9 in); ISO A5: 148 \times 210 mm (5.8 \times 8.3 in); ISO A6: 105 \times 148 mm (5.8 \times
	What's in the box	6FW08A Power cord; Power Adapter; USB Cable; Scanner Engine; Flyers; Install Guide

•	
Product Dimensions	W x D x H : 11.8 × 6.8 × 6.1 in; Maximum : 11.8 × 16.2 × 12.2 in
Product Weight	6.2 lb
Warranty Features	One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to hp.com/support to learn about HP world-class service and support options in your region.
Energy Star Certified	Yes
Energy Efficiency Compliance	CECP; ENERGY STAR® 3.0 certified; EPEAT® Silver ²
Control Panel	Control panel with a total of four buttons on the right side of the resistive touch panel (sleep/power, home, back, help buttons).
Software included	Windows: HP WIA scan driver, HP TWAIN scan driver (32-bit and 64-bit), HP Scan, HP Scanner Tools Utility, I.R.I.S Readiris Pro, I.R.I.S Cardiris, OpenText ISIS
Compatible Operating Systems	Microsoft® Windows® (10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019); MacOS (Catalina 10.15, Mojave 10.14, High Sierra 10.13); Linux (Ubuntu, Fedora, Debian, RHEL, Linux Mint, Open Suse, Manjaro)
Minimum System Requirements	macOS Catalina 10.15,macOS Mojave 10.14, macOS High Sierra 10.13, Microsoft® Windows® 10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Power	Power Supply Type: External power adapter; Power Requirements: Input Voltage range: 90 - 264 VAC, Rated Frequency: 50 - 60HZ, Worldwide use; Power Consumption: 5.9 Watts (ready), 24 Watts (scanning), 1.8 Watts (sleep), 0.1 Watts (auto-off), 0.1 Watts (off) ¹
Acoustics	Acoustic Power Emissions: 59 (dB), 5.9 (B)
Operating Environment	Operating Temperature Range: 50 to 95°F; Recommended Operating Temperature: 63.5 to 77°F; Storage Temperature Range: -40 to 140°F; Operating Humidity Range: 10% to 80% RH; Recommended Humidity Operating Range: 30% to 70% relative humidity (RH)
Security Management	Power button to on/off device
Accessories	HP SJ2000s2/3000s4/N4000snw1 Roller Replacement Kit (7QH79A: 100,000 sheets); HP 5-pack Carrier Sheet Kit (8PA50A); HP 10-Pack Cleaning Cloth Kit (C9943B)
HP Service and Support Options	UD3E1E - HP 3 year Standard Exchange Scanjet Pro N4000 Service; UD3E2E - HP 3 year Next Business Day Exchange Scanjet Pro N4000 Service; UD3E3E - HP 3 year Next Business Day Onsite Exchange Scanjet Pro N4000 Service; UD3E5E - HP 3 year Return to Depot Scanjet Pro N4000 Service; UD3E5PE - HP 1 year Post Warranty Standard Exchange Scanjet Pro N4000 Service; UD3E6PE - HP 1 year Post Warranty Next Business Day Exchange Scanjet Pro N4000 Service; UD3E7PE - HP 1 year Post Warranty Next Business Day Onsite Exchange Scanjet Pro N4000 Service; UD3E6PE - HP 1 year Post Warranty Return to Depot Scanjet Pro N4000 Service; UD3E6PE - HP 1 year Post Warranty Return to Depot Scanjet Pro N4000 Service; UD3E7E - HP Install Service wireless/network Personal Scanner & Printer

Learn more at hp.com



¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device. ² EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ³ Sheet feed speeds: (All resolutions up to and including 300 ppi). Simplex 40 A-4 pages per minute. Duplex 80 A-4 images per minute



