

# Canon UniLink™

## imageCLASS

LBP352dn / LBP351dn

Duplex, Laser Printers

## REVOLUTIONIZE TODAY'S WORKSPACE

- Lightning-fast, exceptional, black-and-white laser output and prints at speeds of up to 65 pages per minute\* (LBP352dn) and 58 pages per minute\* (LBP351dn), with your first print in your hands in less than 8 seconds.\*\*
- Remarkable paper handling in an expandable, configurable construction, with multiple optional accessories **available to support paper feeding up to 3,600 sheets.**\*\*\*
- Supports UFR II, PCL 6, Adobe® PostScript®, and XPS printer languages, **allowing greater versatility for your printing needs.**
- Print on-the-go† with **Canon PRINT Business**, **Apple® AirPrint®**, and **Mopria™ Print Service** using your compatible mobile device.
- With **USB Direct Print**, you can easily print from your USB flash drive in JPEG, TIFF, PDF, and XPS formats.
- Password-protected **Department ID Management** helps business owners monitor and manage device usage for up to 300 IDs.
- **Low energy consumption**; uses just 2 watts or less in Energy Saver Mode.
- **Eco-friendly**, automatic duplexing right out of the box saves on paper and related costs.
- The single-cartridge system combines the toner and drum into one unit, **making cartridge replacement simple.**



LBP352dn shown



# ADVANCED TECHNOLOGIES FOR YOUR OFFICE

## Speed and Versatility

The LBP350 Series delivers high-speed output at 65 ppm\* (LBP352dn) and 58 ppm\* (LBP351dn) to keep your business running. This Series offers high-capacity, generous paper feeding in a variety of configurations with a maximum 3,600-sheet\*\*\* capacity. With a monthly duty cycle of up to 280,000 sheets,\*\*\* the LBP350 Series is designed to meet your high-volume print demands, making it an ideal solution for your business.

## Print On-the-Go<sup>†</sup>

Print a variety of file types, Web pages, and images on-the-go with **Canon PRINT Business**, **Apple® AirPrint®**, and **Mopria™ Print Service** using your compatible mobile device. For more information on Canon supported apps and compatibility, please visit <https://www.usa.canon.com/mobile-app>.



## Service and Support

At its foundation, Canon has an uncompromising dedication to product reliability, service, and support. From cutting-edge technology to industry-leading response times, Canon U.S.A. takes pride in delivering complete customer satisfaction. Canon's award-winning, 100% U.S.-based, friendly, and knowledgeable Customer Service Team provides expert assistance for every level of experience.

## High-Capacity Cartridge

Canon's GENUINE toner is designed to help improve image processing and precise character printing as well as overall image quality. The Single-Cartridge System combines the toner and drum into the same unit, which means you only have one consumable to replace. Designed by Canon engineers and manufactured in Canon facilities, GENUINE supplies are developed using precise specifications, so you can be confident that your Canon device will produce high-quality results consistently. The LBP350 Series offers standard Cartridge 039 Black (11,000-page yield) and Cartridge 039 Hi-Capacity Black (25,000-page yield) options, offering exceptional toner yield to support high-volume printing.

\* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as on the settings for size, type, and orientation of paper.

\*\* May vary depending on the output environment.

\*\*\*Based on 20 lb. Bond paper.

<sup>†</sup> Canon PRINT Business is a free app available on the App Store\* and Google Play™ Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

# CONFIGURATIONS

## Desktop Configurations

These configurations may be used as desktop machines, depending on the desk height you have available.



Standard Printer Configuration

Main Unit: 17.3"  
Total: 17.3"



Printer with One Cassette Option

Main Unit: 17.3"  
Paper Feeder PF-B1: 4.8"  
Total: 22.1"


## Options

(Can be added to any configuration)

### • Envelope Feeder



### • Custom Media Cassette



NOTE: Optional Custom Media Cassette can only be inserted into the standard cassette cavity and will work in place of the standard cassette to accommodate small media sizes (4" x 5.8" to 6.7" x 11.1").

## Floor (with Cabinet)

These configurations are ideal for use as floor-standing machines. Use of Stand or Cabinet is strongly recommended. This allows free access to the bottom Paper Feeder or Paper Deck while also making it easy to turn or move the device for maintenance. The Cabinet can also store paper and consumables.



Printer with One Cassette and Cabinet Options

Main Unit: 17.3"  
Paper Feeder PF-B1: 4.8"  
Cabinet Type-T1: 17.3"  
Total: 39.4"



Printer with Two Cassettes and Cabinet Options

Main Unit: 17.3"  
Paper Feeder PF-B1: 4.8"  
Paper Feeder PF-B1: 4.8"  
Cabinet Type-T1: 17.3"  
Total: 44.2"







Printer with One Cassette, Paper Deck, and Cabinet Options

Main Unit: 17.3"  
Paper Feeder PF-B1: 4.8"  
Paper Deck PD-G1: 10.3"  
Cabinet Type-T1: 17.3"  
Total: 49.7"

Floor (with Stand)

These configurations are ideal for use as floor-standing machines. Use of Stand or Cabinet is strongly recommended. This allows free access to the bottom Paper Feeder or Paper Deck while also making it easy to turn or move the device for maintenance.





| FEATURES                                   | imageCLASS LBP352dn                                                                                                                                                                                                                                                                                                                                                                     | imageCLASS LBP351dn                                                                                                            |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| BASIC SPECIFICATIONS                       |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
| Functions                                  | Print                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                |
| Replaces                                   | NEW                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                |
| Print Speeds (default print mode: 2-sided) | Up to 65 ppm* (1-sided, plain paper Letter),<br>Up to 43.5 ppm* (2-sided, plain paper Letter)                                                                                                                                                                                                                                                                                           | Up to 58 ppm* (1-sided, plain paper Letter),<br>Up to 38.5 ppm* (2-sided, plain paper Letter)                                  |
| Connectivity                               | USB Device High-Speed 2.0, Shared 10/100/1000Base-T Ethernet (Network)                                                                                                                                                                                                                                                                                                                  |                                                                                                                                |
| Operating Systems                          | Windows* 10/8.1/8.7, Vista*, Windows Server* 2012 R2/2012/2008 R2/2008/2003 R2/2003;<br>Mac OS 10.5.8 and Up, Drivers Available For Download From <a href="http://www.usa.canon.com/support">www.usa.canon.com/support</a>                                                                                                                                                              |                                                                                                                                |
| PAPER HANDLING                             |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
| Paper Capacity                             | Up to 3,600 Sheets***                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                |
| Standard Cassette                          | 500 Sheets; 16 to 32 lb. Bond (plain paper); Letter, Legal, A4, A5,▲▲ B5, Executive (Min: 5.82" x 8.26"/Max: 8.5" x 14")                                                                                                                                                                                                                                                                |                                                                                                                                |
| Multipurpose Tray                          | 100 Sheets; 16 to 53 lb. Bond (plain paper); Letter, Legal, A4, A5,▲▲ B5, Statement, Executive (Min: 3" x 5"/Max: 8.5" x 14")                                                                                                                                                                                                                                                           |                                                                                                                                |
| Optional Paper Accessories                 | 500-Sheet Cassette; 16 to 32 lb. Bond (plain paper); Letter, Legal, A4, A5,▲▲ B5, Executive (Min: 5.82" x 8.26"/Max: 8.5" x 14")<br>450-Sheet Custom Media Cassette; 16 to 32 lb. Bond (plain paper); (Min: 4" x 5.82"/Max: 6.7" x 11.1")<br>1,500-Sheet Paper Deck; 16 to 32 lb. Bond (plain paper); A4, Legal, Letter<br>75-Sheet Envelope Feeder (Envelopes: COM10, Monarch, C5, DL) |                                                                                                                                |
| Output Tray                                | Approx. 500 Sheets (face-down)                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                |
| Duplex                                     | Yes                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                |
| Duty Cycle                                 | Up to 280,000 Pages Per Month                                                                                                                                                                                                                                                                                                                                                           | Up to 250,000 Pages Per Month                                                                                                  |
| Security                                   | IEEE 802.1x, SNMPv1, SNMPv3                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                |
| PRINTER SPECIFICATIONS                     |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
| First-Print Time                           | 7 Seconds or Less (Letter)**                                                                                                                                                                                                                                                                                                                                                            | 7.2 Seconds or Less (Letter)**                                                                                                 |
| Printer Language                           | UFR II, PCL 5c/e, PCL 6, Adobe* PostScript*, PDF, XPS                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                |
| Print Resolution                           | Up to 600 x 600 dpi; 1200 x 1200 dpi Quality                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                |
| Print Features                             | Toner Saver, Poster, Booklet, Watermark, Collate                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                |
| Print Memory                               | 1 GB                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                |
| Mobile Print†                              | Canon PRINT Business, Apple* AirPrint*, Mopria™ Print Service                                                                                                                                                                                                                                                                                                                           |                                                                                                                                |
| GENERAL SPECIFICATIONS                     |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
| Dimensions (machine only)                  | 16.4" (W) x 20.9" (D) x 17.3" (H)                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                |
| Weight (without/with cartridge)            | 54 lb./57.8 lb.                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
| Weight                                     | 67.3 lb.                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                |
| Warranty                                   | One-Year Limited Onsite (Extended warranty available)                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                |
| ENVIRONMENTAL SPECIFICATIONS               |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
| Typical Energy Consumption (TEC)           | 0.88 kWh                                                                                                                                                                                                                                                                                                                                                                                | 0.78 kWh                                                                                                                       |
| Power Consumption                          | <b>Operation:</b> 880 W or Less; <b>Standby:</b> 20 W or Less<br><b>Energy Saver:</b> 2 W or Less                                                                                                                                                                                                                                                                                       | <b>Operation:</b> 820 W or Less; <b>Standby:</b> 20 W or Less<br><b>Energy Saver:</b> 2 W or Less                              |
| Noise Level▲▲▲                             | <b>Operation:</b> 57 dB (sound pressure), 71 dB or Less (sound power)<br><b>Standby:</b> Inaudible (sound pressure/sound power)                                                                                                                                                                                                                                                         | <b>Operation:</b> 56 dB (sound pressure), 71dB or Less (sound power)<br><b>Standby:</b> Inaudible (sound pressure/sound power) |
| ENERGY STAR®                               | Yes                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                |
| EPEAT                                      | Silver                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                |
| WHAT COMES IN THE BOX                      |                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                |
|                                            | LBP350 Product, Standard Cartridge 039, Power Cord (USB not included), Duplex Unit,<br>Starter Guide, User Software DVD-ROM, Warranty Card, Canon Drivers                                                                                                                                                                                                                               |                                                                                                                                |

\* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as on the settings for size, type, and orientation of paper.

\*\* May vary depending on the output environment.

\*\*\* Based on 20 lb. Bond paper.

† Canon PRINT Business is a free app available on the App Store® and Google Play™ Store. For more information, including compatibility, please visit <https://www.usa.canon.com/mobile-app>. Please see the respective websites for Apple AirPrint and Mopria Print Service for compatibility and additional information.

▲▲ A5 paper is supported in Simplex mode only.

▲▲▲ Declared noise emission in accordance with ISO 9296.

# imageCLASS


## LBP352dn / LBP351dn



500-Sheet  
Output Tray




Easy, Front-Loading  
Cartridge System



Optional 75-Sheet  
Envelope Feeder\*

\* Attaches via connector behind front panel.



LBP352dn shown

100-Sheet  
Multipurpose Tray



Standard 500-  
Sheet Cassette



OR

Custom Media  
Cassette



### imageCLASS LBP350 Series and Accessories

|                                                                                        |          |
|----------------------------------------------------------------------------------------|----------|
| imageCLASS LBP352dn Monochrome Laser Printer                                           | 0562C007 |
| imageCLASS LBP351dn Monochrome Laser Printer                                           | 0562C002 |
| Cartridge 039 Black (full-yield cartridge; 11,000 pages; ISO/IEC Standard)             | 0287C001 |
| Cartridge 039 Hi-Capacity Black (full-yield cartridge; 25,000 pages; ISO/IEC Standard) | 0288C001 |
| PF-B1: 500-Sheet Paper Cassette (Optional)                                             | 0563C001 |
| PD-G1: 1,500-Sheet Paper Deck (Optional)                                               | 0563C002 |
| EF-A1: 75-Sheet Envelope Feeder (Optional)                                             | 0563C003 |
| CM-A1: Custom Media Cassette (Optional)                                                | 0563C005 |
| Cabinet Type-T1 (Optional)                                                             | 5858A006 |
| Stand Type-T (Optional)                                                                | 5858A007 |
| User Maintenance Kit-A1                                                                | 0563C008 |

### LBP352dn, On-Site Service eCarePAKs

|                             |          |
|-----------------------------|----------|
| Tier 30 One-Year eCarePAK   | 5707B062 |
| Tier 30 Two-Year eCarePAK   | 5707B063 |
| Tier 30 Three-Year eCarePAK | 5707B064 |
| Tier 30 Four-Year eCarePAK  | 5707B065 |

### LBP351dn, On-Site Service eCarePAKs

|                             |          |
|-----------------------------|----------|
| Tier 20 One-Year eCarePAK   | 5707B058 |
| Tier 20 Two-Year eCarePAK   | 5707B059 |
| Tier 20 Three-Year eCarePAK | 5707B060 |
| Tier 20 Four-Year eCarePAK  | 5707B061 |

USA.CANON.COM/imageCLASS

**Canon**

# UniLink

Sales@UniLinkinc.com | www.UniLinkinc.com | 800.666.2980

As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Android is a trademark of Google Inc. App Store is a service mark of Apple Inc. iPhone, iPad Air, iPad, iPad mini are trademarks of Apple Inc., registered in the U.S. and other countries. iOS is a trademark or registered trademark of Cisco in the United States and other countries and is used under license. Canon, imageCLASS, and the Super G3 logo are registered trademarks and the GENUINE logo is a trademark of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2020 Canon U.S.A., Inc. All rights reserved.

0217W268  
1220R3-LBP352/351-PDF-IH

