



# ScanSnap

# iX1300



Small scanner, big impact

# Small scanner, big impact

# Fits into your life, on any desk

The modern way of working can be full of surprises, and we can all find ourselves working in tight spaces and new places. The smart and ultra-compact ScanSnap iX1300 is designed to fit on any office desk or into any home office setup, helping you stay productive wherever life takes you.



# Simple, Practical and Efficient

The iX1300's innovative dual-feed design creates a tiny operational footprint that makes it our smallest desktop scanner yet. Instant Wi-Fi connectivity and PC-free scanning to cloud services using ScanSnap Cloud are all part of a smarter way to work.

The iX1300 is packed with time-saving features to boost efficiency and with no wait time to warm up, you are ready to go in seconds. Plus, the return path capability means you can quickly scan individual sheets without even opening the cover. Use the 20-sheet feeder featuring an impressive 30 double-sided pages per minute speed and you'll finish scanning batches of documents in no time at all.

The intuitive ScanSnap Home software (included) helps you easily convert the papers you have, into the digital files you need, along with the ability to find them quickly, wherever and whenever you need them. There's plenty of personal productivity packed into our most practical scanner yet, ensuring the iX1300 makes paper work for you and your business.

# **Practical productivity**

### **Automatic Document Feeder**

The iX1300 is our most compact desktop scanner. The innovative U-turn feed path creates an extremely small operational footprint and there's no rush to move things out of the way to extend a paper tray when you need to scan multiple sheets – saving you time, and space.

### Manual Feeder

With ScanSnap you don't need to know IT - just how to press a button. And, with the iX1300, you don't even need to open the cover.

The return path scanning mechanism means you can instantly scan both sides of individual sheets or booklets up to 2mm thick simply by feeding them in and pressing the Scan button.







#### Wi-Fi connectivity

Instant Wi-Fi connectivity and PC-free scanning let you guickly set the iX1300 up, and scan directly to your preferred cloud services or our mobile app.



# **Boost Efficiency**

## Quickly scan multiple sheets

Being efficient is a top priority in the modern world and the iX1300 delivers.

An impressive scanning speed of 30 double-sided pages per minute and an Automatic Document Feeder that holds up to 20 sheets means you can reliably scan whatever you like in no time at all quickly getting you back to the more important things in your life.

#### Custom file tagging

With custom file tagging you can add your own tags to scanned document files with minimal fuss - making it easier and faster for you to search for, find and retrieve them at a later date.

### Intuitive ScanSnap Home software

The intuitive ScanSnap Home software (included) helps quickly and easily convert the papers you have into the digital files you need, giving you greater control, and helping you focus on what matters most.

From automatic classification according to document type, image optimization and final file distribution, to assisting you to manage and edit scanned data from documents, receipts, business cards, photos, and more, ScanSnap Home takes the stress out of organizing and finding what vou need.









### Standard, editable output files

Boost productivity with the iX1300's ability to save your documents in a range of formats including PDF, Searchable PDF, or JPEG. You can also convert them to editable Word, Excel, or PowerPoint files which is a great benefit when you need to make changes to documents that you only have on paper.











# **User Experience**

### Simple setup

With the iX1300, there are no complex settings to deal with. Easy setup via Wi-Fi or from a mobile device creates a simple, user-friendly setup experience.

## Fast start-up time

When you have something to scan you don't want to be left waiting around wasting time.

In addition to the one-touch scanning experience ScanSnap users count on, the iX1300 doesn't need any time to warm up and has a streamlined scanning process that allows you to go from start to scan in just two or three steps.



#### General Specifications

Product name			ScanSnap iX1300 (White/Black)
Scanner typ	oe		ADF (Automatic Document Feeder)/Manual Feeder, Duplex
Scanning co	olor mode		Color, Grayscale, Monochrome, Automatic (Color/Grayscale/Monochrome*1 detection)
lmage sense	or		CIS x 2 (Front x 1, Back x 1)
Image sense Light source			3 Color LED (Red/Green/Blue)
Optical resc			600 dpi
T T	JIGCIOII	Auto mode	
		(Default)*3 Normal	Simplex/Duplex: 30 ppm Simplex/Duplex: 30 ppm
	U-turn scan (ADF)	mode	(Color/Grayscale: 150 dpi, Monochrome: 300 dpi)
		Better mode	Simplex/Duplex: 30 ppm (Color/Grayscale: 200 dpi, Monochrome: 400 dpi)
		Best mode	Simplex/Duplex: 30 ppm (Color/Grayscale: 300 dpi, Monochrome: 600 dpi)
Scanning speed*2		Excellent mode <sup>114</sup>	Simplex/Duplex: 9 ppm (Color/Grayscale: 600 dpi, Monochrome: 1,200 dpi)
(A4 portrait)		Auto mode (Default)*3	5 seconds (Color/Grayscale: 150 dpi, Monochrome: 300 dpi)
		Normal	5 seconds
	Return	mode	(Color/Grayscale: 150 dpi, Monochrome: 300 dpi)
	scan (Manual	Better mode	5 seconds (Color/Grayscale: 200 dpi, Monochrome: 400 dpi)
	Feeder)	Best mode	5 seconds (Color/Grayscale: 300 dpi, Monochrome: 600 dpi)
		Excellent	14 seconds
		mode*1*4	(Color/Grayscale: 600 dpi, Monochrome: 1,200 dpi)
	U-turn scan (ADF)		Minimum: 50.8 x 50.8 mm (2 x 2 in.) Maximum: 216 x 355.6 mm (8.5 x 14 in.)
	Return sca (Manual Fe		Minimum: 50.8 x 50.8 mm (2 x 2 in.) <sup>7</sup> Maximum: 216 x 355.6 mm (8.5 x 14 in.)
	With Photo Carrier Sheet (Option) 175		Minimum: 25.4 x 25.4 mm (1 x 1 in.) Maximum: 127 x 178 mm (5.0 x 7.0 in.)
	With Carri (Option)***5	er Sheet	Minimum: 25.4 x 25.4 mm (1 x 1 in.) Maximum: 297 x 431.8 mm (11.69 x 17 in.)
	With Book	let Carrier	Minimum: 25.4 x 25.4 mm (1 x 1 in.)
-	Sheet (Option)**5		Maximum: 150 x 195 mm (5.9 x 7.67 in.)
	Long paper	PC Smart Device	3,000 mm (863 mm in 32-bit) <sup>18</sup> Duplex: 863 mm
	scanning*6	/ Cloud	Simplex: 1,117 mm
U-turn scan (ADF)			40 to 128 g/m² (11 to 34 lb) A8 size or less: 128 to 209 g/m² (34 to 56 lb) A6 size or less: 40 to 209 g/m² (11 to 56 lb)
Paper weigh (Thickness)		Return scan	Paper: 20 to 413 g/m² (5.4 to 110 lb)
(Inickness)		(Manual	Booklets: 2 mm (0.08 in.) or less <sup>1</sup>
		Feeder)	Cards: 1.4 mm (0.06 in.) or less*9 (Includes embossed cards)
ADE cana -1	i+v*10		
ADF capaci	ity	USB	20 sheets (A4, 80 g/m <sup>2</sup> or 20 lb) USB 3.2 Gen1x1 / USB 2.0 / USB 1.1 (Connector Type: Type-B) <sup>11</sup>
Interface		Wi-Fi	IEEE802.11a/b/g/n/ac
Wi-Fi Interfa	ace		Frequency band: 2.4 GHz / 5 GHz <sup>12</sup> Access Point Connect Mode (Infrastructure mode) <sup>115</sup>
			Direct Connect Mode (Ad-hoc mode)***
Power requirement Operating		Operating	AC 100 to 240 V, 50/60 Hz 17 W or less
		Sleep mode	17 VV OI 1622
		(USB connection)	1.7 W or less
Power		Sleep mode	
consumption	11	(Wi-Fi connection)	2.0 W or less
			0.3 W or less
	Operation environment		Temperature: 5 to 35 °C (41 to 95 °F)
Operation e	environmen	t I	
			Relative humidity: 20 to 80% (Non-condensing)
Dimensions	(W x D x H		296 x 114 x 87 mm (11.7 x 4.5 x 3.3 in.)
Dimensions Device weig	(W x D x F	J)*15	296 x 114 x 87 mm (11.7 x 4.5 x 3.3 in.) 2.0 kg (4.4 lb)
Operation e Dimensions Device weig Environmen Multifeed de	(W x D x F ght ntal complia	J)*15	296 x 114 x 87 mm (11.7 x 4.5 x 3.3 in.)
Dimensions Device weig Environmen	(W x D x F ght ntal complia	J)*15	296 x 114 x 87 mm (11.7 x 4.5 x 3.3 in.) 2.0 kg (4.4 lb) ENERGY STAR 3.0", RoHS, and EPEAT Silver (Black Model Only)

\*\*T Feature is unavailable when using ScanSnap Connect Application. \*2 Actual scanning speeds are affected by data transmission and software processing times. \*3 Scans will be performed in 300 dpi (Color/Grayscale) or 600 dpi (Monochrome) if shorter sides are less than 105 mm, and in 200 dpi (Color/Grayscale) or 400 dpi (Monochrome) if shorter sides exceed 105 mm. \*4 Feature is unavailable when using ScanSnap Cloud. \*5 Carrier sheet scanning is only supported when scanning documents in Return scan (Manual Feeder). \*6 Long page scanning (Color/Grayscale: 200 dpi, Monochrome: 400 dpi) is only supported when scanning documents in U-turn scan (ADF). When using ScanSnap Connect Application and ScanSnap Cloud, scans are performed in Color/Grayscale: 200 dpi, Monochrome: 400 dpi) is only supported when scanning documents in U-turn scan (ADF). When using ScanSnap Connect Application and ScanSnap Cloud, scans are performed in Color/Grayscale: 200 dpi, Monochrome: 400 dpi /7 A3, 34, 11 x 7 in. document sizes are required to be folded in half: \*6 Scanning in "Excellent mode" is supported with documents of up to 360 mm. \*9 Compliant with Type ISO/810 ID-1. \*10 Maximum capacity varies, depending upon paper weight. \*11 Some computers do not recognize the ScanSnap when it is connected to a USB 3.2 Gent)/30 port. In this case, please use a USB 2.0 cable. \*12 Availability of 5 GHz Wi-Fi may vary depending on region. \*13 Access Point Connect Mode requires a Wi-Fi access point or oruter. \*14.5 GHz Wi-Fi is not available with Direct Connect Mode. \*15 Excluding the stacker and other external attachments.



PFU Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency.

#### Consumables

0.110.1111.1111.1111				
Description	Part number	Remarks		
Pick Roller*1 PA03805-0021		Lifetime: Every 100,000 sheets or one year		
Pad Unit*1	PA03805-0022	Lifetime: Every 30,000 sheets or one year		
Cleaner F1	PA03950-0352	100 ml bottle For use on the Pad unit and Pick roller		
Cleaning Wipe	PA03950-0419	24 packets For use on the Pad unit and Pick roller		
Cleaning Paper	CA99501-0012	10 sheets Use this non-woven sheet with Cleaner F1		

#### Service and Options

Description	Part number	Remarks
Depot Mail-in Repair (iX1300)	SIX1300-DEPW5DY-3	3-year scanner contract provides mail-in unit repair that includes spare parts, labor, and one-way shipping to customer
Carrier Sheets*1	PA03360-0013	Contains 5 sheets supporting photographs and various document sizes For ScanSnap iX1300, iX1600, iX1400, iX1500, iX100, S1100i
Photo Carrier Sheets	PA03770-0015	Contains 3 sheets supporting photographs (E-size, L-size, King-size), postcards, and business cards
Booklet Carrier Sheet	PA03795-0018	Contains 1 sheet supporting booklets
ScanSnap Soft Case	PA03805-0002	Stores the ScanSnap iX1300 and accessories

Although ScanSnap Carrier Sheets have a listed lifespan of 500 scans, the lifespan may vary with usage. ScanSnap Carrier sheets are intended to scan paper documents with weights of 127 g/m² or less. They also support the scanning of folded documents that are as large as 216 x 297 mm.

#### ScanSnap iX1300 System Requirements

#### • Windows\*

Operating systems		Windows*10 (32-bit / 64-bit)* <sup>112</sup> Windows*8.1 (32-bit / 64-bit)* <sup>2</sup> Windows* 7 (32-bit / 64-bit)
Hardware	CPU*4	Intel* Celeron 1.8 GHz (2core) or higher (Recommended: Intel* Core™ i5 2.5 GHz or higher)
requirements*3	Memory capacity*4	2 GB or more (Recommended: 4 GB or more)
	Display resolution	1,024 x 768 pixels or more
	Disk capacity*5*6	3.8 GB or more of free hard disk space

<sup>3.8</sup> GB or more of free hard disk space

1 ScanSnap scanners do not run with Windows\* 10 ARM-based PCs.\*2 Operate Windows in desktop mode. \*3 The
ScanSnap device may not work if the connected computer does not meet these requirements. \*4 Scanning speeds may
drop if the recommended CPU, memory capacity and USB 1.1 requirements are not met. \*5 Indicated disk capacity
requirements apply when downloading ScanSnap Home. '6. NET Framework 4.8 or later must be installed. If it is not
installed, it is installed with ScanSnap Home. Up to 4.5 GB of disk space is required for the installation.

\*Please refer to the ScanSnap website for the latest support information of the driver and applications. Compatibility
may differ depending on the software's version. \*The system requirements may change depending on the support
policies of the above system and third-party software.

### Mac

Operating systems		macOS v.10.13 or later	
Hardware	CPU*2*3	Intel*Core i5 1.4 GHz or higher (Recommended: Core i5 2.5 GHz or higher)	
requirements*1	Memory capacity*3	2 GB or more (Recommended: 8 GB or more)	
	Display resolution	1,024 x 768 pixels or more	
	Disk capacity	2.0 GB or more of free hard disk space	

The ScanShap device may not work if the connected computer does not meet these requirements. \*2 The ScanShap device may not work if the connected computer does not meet these requirements. \*2 The ScanShap device also operates with Apple Silicon-based Mac computers. Please visit the ScanShap website for latest support information. \*13 Scanning speeds may drop if the recommended CPU, memory capacity and USB 11 requirements are not met. \*Compatibility may differ depending on software versions. Please visit the ScanShap website for latest information on driver and application support. The system requirements may change depending on the support policies of the above system and third-party software.

#### Software

Windows*	Mac	
ScanSnap Home*1		
ScanSnap Manager*2		
ABBYY® FineReader® for ScanSnap®™		

<sup>\*1</sup> ScanSnap Home installation requires a computer and Internet. Activation is also necessary for software use. Please visit the company website for download information. https://scansnap.fujitsu.com/g-support/en. \*2 ScanSnap Manager V7.2 and later is required.

#### Accessories

•Safety Precautions •AC Cable •AC Adapter •USB Cable

This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyright regulations and other laws. ScanSnap users are responsible for how they use this scanner. It is imperative that ScanSnap users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.





©2021 Fujitsu Computer Products of America, Inc. Fujitsu and the Fujitsu logo are registered trademarks of Fujitsu Limited. All text, graphics, trademarks, logos contained herein related to Fujitsu, PFU, or Fujitsu Computer Products of America, Inc. ("FCPA") are owned, controlled or licensed by or to FCPA with all rights reserved. All other text, graphics, trademarks, service marks and logos used herein are the copyrights, trademarks, service marks or logos of their respective owners.

<sup>1</sup> These recommended lifetimes are for 80 g/m² (20 lb) A4 sized documents. Therefore, appropriate replacement lifetimes may vary for other document types. It is recommended to use original or approved accessories for consumables, options and cleaning kits, specially designed for your device. Device failures, troubles and damages arising from use of 0EM or 3rd Party accessories may render your warranty invalid and incur charges for repair even during the warranty period.